

4-2023

Using Thermal Remote Sensing to Quantify Impact of Traffic on Urban Heat Islands during COVID

My-Thu Tran
San Jose State University

Bo Yang
San Jose State University, bo.yang02@sjsu.edu

Follow this and additional works at: https://scholarworks.sjsu.edu/mti_publications

 Part of the [Structural Engineering Commons](#), [Transportation Commons](#), and the [Transportation Engineering Commons](#)

Recommended Citation

My-Thu Tran and Bo Yang. "Using Thermal Remote Sensing to Quantify Impact of Traffic on Urban Heat Islands during COVID" *Mineta Transportation Institute Publications* (2023). <https://doi.org/10.31979/mti.2023.2207>

This Report is brought to you for free and open access by SJSU ScholarWorks. It has been accepted for inclusion in Mineta Transportation Institute Publications by an authorized administrator of SJSU ScholarWorks. For more information, please contact scholarworks@sjsu.edu.

Using Thermal Remote Sensing to Quantify Impact of Traffic on Urban Heat Islands during COVID

My-Thu Tran, MA Bo Yang, PhD



Mineta Transportation Institute

Founded in 1991, the Mineta Transportation Institute (MTI), an organized research and training unit in partnership with the Lucas College and Graduate School of Business at San José State University (SJSU), increases mobility for all by improving the safety, efficiency, accessibility, and convenience of our nation's transportation system. Through research, education, workforce development, and technology transfer, we help create a connected world. MTI leads the [Mineta Consortium for Transportation Mobility](#) (MCTM) funded by the U.S. Department of Transportation and the [California State University Transportation Consortium](#) (CSUTC) funded by the State of California through Senate Bill 1. MTI focuses on three primary responsibilities:

Research

MTI conducts multi-disciplinary research focused on surface transportation that contributes to effective decision making. Research areas include: active transportation; planning and policy; security and counterterrorism; sustainable transportation and land use; transit and passenger rail; transportation engineering; transportation finance; transportation technology; and workforce and labor. MTI research publications undergo expert peer review to ensure the quality of the research.

Education and Workforce

To ensure the efficient movement of people and products, we must prepare a new cohort of transportation professionals who are ready to lead a more diverse, inclusive, and equitable transportation industry. To help achieve this, MTI sponsors a suite of workforce development and education opportunities. The Institute supports educational programs offered by the

Lucas Graduate School of Business: a Master of Science in Transportation Management, plus graduate certificates that include High-Speed and Intercity Rail Management and Transportation Security Management. These flexible programs offer live online classes so that working transportation professionals can pursue an advanced degree regardless of their location.

Information and Technology Transfer

MTI utilizes a diverse array of dissemination methods and media to ensure research results reach those responsible for managing change. These methods include publication, seminars, workshops, websites, social media, webinars, and other technology transfer mechanisms. Additionally, MTI promotes the availability of completed research to professional organizations and works to integrate the research findings into the graduate education program. MTI's extensive collection of transportation-related publications is integrated into San José State University's world-class Martin Luther King, Jr. Library.

Disclaimer

The contents of this report reflect the views of the authors, who are responsible for the facts and accuracy of the information presented herein. This document is disseminated in the interest of information exchange. MTI's research is funded, partially or entirely, by grants from the California Department of Transportation, the California State University Office of the Chancellor, the U.S. Department of Homeland Security, and the U.S. Department of Transportation, who assume no liability for the contents or use thereof. This report does not constitute a standard specification, design standard, or regulation.

Using Thermal Remote Sensing to Quantify Impact of Traffic on Urban Heat Islands during COVID

My-Thu Tran, MA

Bo Yang, PhD

April 2023

A publication of the
Mineta Transportation Institute
Created by Congress in 1991

College of Business
San José State University
San José, CA 95192-0219

TECHNICAL REPORT DOCUMENTATION PAGE

1. Report No. 23-02	2. Government Accession No.	3. Recipient's Catalog No.	
4. Title and Subtitle Using Thermal Remote Sensing to Quantify Impact of Traffic on Urban Heat Islands during COVID		5. Report Date April 2023	
		6. Performing Organization Code	
7. Authors My-Thu Tran, MA ORCID: 0009-0004-3629-9398 Bo Yang, PhD ORCID: 0000-0001-7439-192X		8. Performing Organization Report CA-MTI-2207	
9. Performing Organization Name and Address Mineta Transportation Institute College of Business San José State University San José, CA 95192-0219		10. Work Unit No.	
		11. Contract or Grant No. 69A3551747127	
12. Sponsoring Agency Name and Address U.S. Department of Transportation Office of the Assistant Secretary for Research and Technology University Transportation Centers Program 1200 New Jersey Avenue, SE Washington, DC 20590		13. Type of Report and Period Covered	
		14. Sponsoring Agency Code	
15. Supplemental Notes			
16. Abstract A three-month lockdown in the U.S. at the beginning of the COVID-19 outbreak in 2020 greatly reduced the traffic volume in many cities, especially large metropolitan areas such as the San Francisco Bay Area. This research explores the impact of transportation on climate change by using remote sensing technology and statistical analysis during the COVID-19 lockdown. Using thermal satellite data, this research measures the intensity of the urban heat island, the main driver for climate change during the urbanization process. The research team acquired morning and afternoon MODIS data in the same periods in 2019 before the pandemic and 2020 during the pandemic. MODIS imagery provides a wall-to-wall land surface temperature map to precisely measure the dynamics of the urban heat effect. In situ meteorological data were also acquired to build an urban surface energy budget and construct statistical models between solar radiation and the intensity of heat dynamics. The team implemented this urban heat budget in six counties in Northern California. This research quantifies the impact of lockdown policies on heat intensity in urban areas and human mobility in the context of COVID-19 and future pandemics. The quantitative results obtained in this study provide critical information for analyses of climate change impact on an urban scale.			
17. Key Words Remote sensing, MODIS, Urban heat island, Traffic volume, COVID-19	18. Distribution Statement No restrictions. This document is available to the public through The National Technical Information Service, Springfield, VA 22161.		
19. Security Classif. (of this report) Unclassified	20. Security Classif. (of this page) Unclassified	21. No. of Pages 29	22. Price

Copyright © 2023
by Mineta Transportation Institute
All rights reserved.

DOI: 10.31979/mti.2023.2207

Mineta Transportation Institute
College of Business
San José State University
San José, CA 95192-0219

Tel: (408) 924-7560
Fax: (408) 924-7565
Email: mineta-institute@sjsu.edu

transweb.sjsu.edu/research/2207

CONTENTS

1. Introduction.....	1
2. Study Area and Data	3
2.1 Study Area.....	3
2.2 Remote Sensing and Meteorological Data.....	7
3. Analysis and Results	11
3.1 Multiple Regression Models with Dummy Variable.....	11
3.2 Statistical Regression Model with Radiation, Lst (Modis) and Traffic Variation.....	11
4. Dicussion and Conclusion.....	14
Bibliography	16
About the Authors.....	20

LIST OF FIGURES

Figure 1. The Study Area with the Six Counties in North California.....	6
Figure 2. Land Surface Temperature in the South Bay Area on March 2, 2020 (Celsius).....	8
Figure 3. Urban Land Surface Temperatures (°C) Time Series in North California in 2020 for the Morning Group (left) and Afternoon Group (right)	9
Figure 4. Urban Land Surface Temperatures (°C) Time Series in North California in 2019 for the Morning Group (Left) and Afternoon Group (right)	10

LIST OF TABLES

Table 1. Dates that California Impose the Lockdown or Half Lockdown	4
Table 2. Total Crashes, Fatal (F) or Severe Injury (SI) Crashes, Vehicle Miles Traveled in 2019 and 2020 in Six Counties in the Bay Area	5
Table 3. Population, Median Household Income, Mean Travel Time to Work, and Percentage of the Civilian Labor Force in Six Counties in the Bay Area	6
Table 4. Cloud-free Terra and Aqua MODIS Image Data	8
Table 5. Regression Results for Modeling of UHI Intensity in the Mornings	12
Table 6. Regression Results for Modeling of UHI Intensity in the Afternoons.....	13

1. Introduction

In 2019, the emergence of a novel coronavirus, SARS-CoV-2, was identified as a causative agent with human-to-human transmission. Due to the absence of a vaccine or specific medical treatment for COVID-19 at the time, measures such as social distancing and public interventions in the form of lockdowns were imposed in an attempt to curb the epidemic (Cassidy et al. 2020; Huaiyu Tian et al., 2020). In an effort to prevent the spread of the novel coronavirus, various policies including lockdowns, social distancing, and the use of masks have been enforced in the United States (Huang et al. 2021; Arora et al. 2020). Lockdowns involve the restriction of movement and gathering of people in an effort to limit the spread of the virus. Lockdowns varied in severity and geographical scope, including the closure of non-essential businesses, the cancellation of public events, and the implementation of stay-at-home orders. These measures were aimed at reducing the number of people who came into contact with the virus (State of California 2020). Research has shown that these lockdowns were generally effective at reducing the spread of COVID-19 and flattening the curve. California's lockdown provided a unique opportunity to quantify the impact of transportation on urban climate change.

The Urban Heat Island (UHI) is a phenomenon where a metropolitan area has a temperature significantly higher than the surrounding rural areas (Oke 1981; Gorsevski et al. 1998). The temperature difference is typically 2–3°C, but may be up to 11°C. The difference is typically larger at night than during the day and is most apparent when winds are weak (Oke et al. 1999). The main causes for the UHI effect include waste heat generated from anthropogenic activities and energy usages, such as vehicle exhaust, and human and industrial activities (Kato and Yamaguchi 2005). Another cause is impervious surfaces, such as buildings, concrete, and asphalt surfaces. With little vegetation coverage, these surfaces effectively retain more heat. The UHI effect is among the best expressions of the impact of human activities on local climate (Hinkel et al. 2003), which play an important role in the climate warming trend. For example, research in China indicates that UHI contributes to about 30% of local climate warming (Ren et al. 2015).

The UHI effect is one of the most apparent consequences of environmental change induced by anthropogenic activities and an important indicator of climate change (Huang and Lu 2015). It has been reported that anthropogenic activities have caused the rise of global mean temperature by 0.8°C compared to the preindustrial level (IPCC 2007). Despite global warming caused by greenhouse gas, the human impact on climate on a local and regional scale is much more significant (Zhao et al. 2014). Kalnay and Cai (2003) estimate there is a 0.27°C per century mean surface warming due to land-use changes in the United States (Kalnay and Cal 2003). Research in southeast China suggests overall warming of 0.05°C per decade for mean winter surface temperature induced by urbanization (Li et al. 2012). However, there remains a paucity of quantitative evaluation of the traffic volume impacts on urban warming, despite transportation accounting for the largest share of greenhouse emissions (28.9%) according to statistics from USEPA (US EPA).

This project aims to take advantage of thermal remote sensing to isolate and quantify the transportation impact on UHIs in Northern California's Bay Area metropolitan area during the COVID-19 lockdown. In 2020, California's major cities implemented a lockdown to control the spread of the pandemic, which cut off about half of the transportation volume compared to the normal traffic volume (Arora et al. 2020). It offers a unique opportunity to isolate and quantify the impact of transportation on the climate. We adopt thermal remote sensing that provides a wall-to-wall land surface temperature (LST) map (Weng et al. 2004; Voogt and Oke 2003), which is vital for quantitative analyses of urban temperature dynamics. Thermal remote sensing technology has been widely applied to UHI research. Moderate-resolution Imaging Spectroradiometer (MODIS) LST provides twice-daily LST measurements acquired over a certain study area at a 1 km spatial resolution (Jeganathan et al. 2011). We can retrieve the urban surface energy budget by taking advantage of the twice-daily surface temperature and ground meteorology measurements, and then construct statistical models between net radiation and both extent and intensity of heat dynamics. We examine the variation of urban heat island intensity and spatial extent by utilizing traffic variation during the COVID-19 lockdown. The quantitative results obtained in this study provide critical information for analyses of climate change on a global scale.

2. Study Area and Data

2.1 Study Area

The study area is the San Francisco Bay Area (SFBA) in Northern California, one of the most important and influential regions in California and the entire U.S. The SFBA is an economic hub with various urban and industrial functions. The area is home to many Fortune 500 companies, including high technology, finance, and biotechnology. The average median household income for the Bay Area was \$79,900 in 2021, remarkably higher than the national average. The median household income for the south Bay Area (Silicon Valley) ranges from \$93,370 to \$154,256, the largest in California.

The SFBA has a diverse and complex transportation network, including an extensive public transit system with buses, trains, and ferries. The Bay Area Rapid Transit (BART) system is a popular option for getting around the region, with trains that serve San Francisco, Oakland, Berkeley, and other cities in the Bay Area. Many people in the Bay Area own and drive their own cars, and the region has a network of freeways and highways that make it easy to travel by car. However, traffic can be heavy in some areas, particularly during rush hour in the San Francisco area (Osman et al. 2019).

California became the first state to impose shelter-in-place orders across the whole state to protect the health of Californians and to slow the spread of COVID-19 (State of California 2020). As summarized in Table 1, on March 4, 2020, California Governor Gavin Newsom declared a state of emergency in response to the global COVID-19 pandemic (State of California 2020). To reduce the spread of COVID-19, further restrictions were implemented. With advice from public health experts, mass gatherings of 250 or more people were been postponed or canceled statewide. Then, on March 13, 2020, with an executive order from Governor Newsom, all state schools were closed (State of California 2020). Following this, senior citizens were advised to stay at home, and restaurants had to reduce seating (Cassidy et al. 2020). On March 16, 2020, the Bay Area counties declared shelter-in-place orders (Lin 2020).

Table 1. Dates that California Imposes the Lockdown or Half Lockdown

Date	Government Response
March 4, 2020	Governor declared a state of emergency
March 11, 2020	Mass gatherings (over 250 people) postponed or canceled statewide
March 13, 2020	State-funding schools closed
March 16, 2020	Bay Area counties declared shelter-in-place orders
March 19, 2020	Statewide shelter-in-place order issued – Stage 1
April 1, 2020	All schools closed for the remainder of the academic year
May 7, 2020	California moved into Stage 2 of modifying its stay-at-home order
May 25, 2020	Stage 3 of reopening with hair salons, barbershops

The stay-at-home order has potentially affected travel behavior, the use of public transportation, and caused a reduction in going out for unnecessary purposes, including the use of public transportation and non-essential outings, such as commuting to work or school. To examine the impact of the COVID-19 lockdown on traffic volume, Table 2 shows data on traffic accidents from the Transportation Injury Mapping System (TIMS) at UC Berkeley. The data shows a marked reduction in the total number of crashes during the lockdown period in 2020 compared to the same period in 2019 without the lockdown, which is attributed to the decrease in transportation due to the stay-at-home order, resulting in a reduction of personal cars and public transportation services in urbanized areas.

Table 2. Total Crashes, Fatal (F) or Severe Injury (SI) Crashes, Vehicle Miles Traveled in 2019 And 2020 in Six Counties in the Bay Area

Week Starting Date	2019			2020		
	Total Crashes	F+SI Crashes	Vehicle Miles Traveled	Total Crashes	F+SI Crashes	Vehicle Miles Traveled
10-February	233	16	463.17	185	21	480.04
17-February	173	25	471.23	177	15	476.57
24-February	220	19	467.48	183	15	485.13
2-March	209	8	470.9	179	13	471
9-March	197	15	481.08	209	15	429.6
16-March	209	13	482.69	75	10	316.46
23-March	169	12	472.43	93	12	275.21
30-March	153	8	464.45	101	10	270.1
6-April	170	15	478.57	88	14	268.36
13-April	175	12	486.41	67	10	281.85
20-April	219	20	495.43	93	17	291.36
27-April	209	20	493.16	81	7	302.23
4-May	199	16	495.75	87	15	326.7
11-May	263	20	482.73	101	11	328.43
18-May	212	20	489.36	99	14	351.22
25-May	182	16	481.39	102	10	351.35
1-June	221	15	497.32	120	19	365.51
8-June	226	22	495.49	127	14	388.94

In this study, we focused the study area on six municipal counties of the South and East Bay, including Marin, San Francisco, San Mateo, Santa Clara, Alameda, and Contra Costa counties (Figure 1). The south and east SFBA is known for its high income levels from the high-tech industry, and it is a leader in developing new technologies and products (Table 3). It is home to many major technology companies and is a hub for innovation and economic growth. Many of the world's largest and most influential technology companies, such as Apple, Google, etc., are located in this region. This region is referred to as "Silicon Valley," due to the concentration of technology companies and innovation that has occurred there.

Table 3. Population, Median Household Income, Mean Travel Time to Work, and Percentage of the Civilian Labor Force in Six Counties in the Bay Area

Bay Area Counties	Marin	San Francisco	San Mateo	Santa Clara	Alameda	Contra Costa
Population (2020)	504.1	18,629.1	1,704.0	1,499.7	2,281.3	1,626.3
Median household income (2020)	\$121,671	\$119,136	\$128,091	\$130,890	\$104,888	\$103,997
Mean travel time to work (min.)	31.8	33.3	29.4	29.2	34.2	38.5
Percent of civilian labor force (2020)	63.7%	71.2%	68.7%	67.6%	67.2%	64.9%

Figure 1. The Study Area with the Six Counties in Northern California




2.2 Remote Sensing and Meteorological Data

In recent UHI studies, thermal remote sensing technology, such as NOAA-AVHRR, MODIS, Landsat, ASTER, has been widely applied to UHI research (Gallo and Owen 1999; Voogt and Oke 2003; Tran et al. 2006). In contrast to meteorology data, thermal remote sensing can provide a temperature map that covers the area and is vital for analyzing the impacts of UHI over the metropolitan region ([Streutker, 2002](#)). Satellite remote sensing data can also give repeating measurements over temporal revisiting cycles and is thus suitable for temporal thermal dynamics monitoring and analysis.

We acquired both Terra and Aqua MODIS thermal remote sensing data to access the SFBA thermal environment (Figure 2). Terra MODIS satellite overpasses at 10:30 AM local time, while Aqua MODIS satellite overpasses at 1:30 PM local time ([Sentlinger et al. 2008](#)). LST images from the satellite sensor measures the long-wave thermal radiation emitted from the Earth's surface, which is related to the solar radiation absorbed by the Earth's surface. Nevertheless, radiation absorbed by the Earth's surface differs between morning and afternoon. The mean temperature of the afternoon LST image is significantly higher than that of the morning image, given that LST acquired time is 10:30 AM and 1:30 PM for the morning and afternoon groups, respectively.

The MODIS LST v6 products provided by NASA have undergone atmospheric correction with *in situ* meteorological data, and the accuracy of the LST is better than 1°C in most cases (Wan 2014). We selected tie points around dark waterbodies to refine the geo-locations of the time series MODIS images for their spatial co-registration. The MODIS image scenes have been cut to cover the SFBA case study area (Figure 2). We examined daily Terra and Aqua MODIS LST image products for three months from March 1 to May 31 in 2019 and 2020 (Figures 3 & 4).

Figure 2. Land Surface Temperature in the South Bay Area on March 2nd, 2020 (Celsius)



Three hundred and sixty-eight MODIS images were screened, and 124 images were selected (Table 4) based on the data quality and cloud coverage. Images with more than 10% cloud coverage, or if they were acquired in high wind speed conditions, were excluded. A large number of images were excluded due to the excessive cloud coverage and not included in our subsequent analysis. Figures 3 and 4 show the selected cloud-free MODIS images for the Bay Area in 2019 and 2020, morning (Terra) and afternoon (Aqua) groups.

Table 4. Cloud-free Terra and Aqua MODIS Image Data

Daytime	Terra (Morning)	Aqua (Afternoon)	
Time period	03/01–05/31 (2019)	03/01–05/31 (2020)	03/01–05/31 (2019)
Total images	92	92	92
Cloud-free images	30	29	33
			32

In situ observations on solar radiation were used to model the effect of solar radiation variation on the LST in order to isolate the effect of traffic volume variation. We utilized solar radiation data acquired from a meteorological station, Moraga, in the Bay Area at a latitude of 37.84°N and a longitude of 122.13°W (Figure 1). The station is part of the network of the California Irrigation Management Information System (CMIS). Solar radiation intensity measured at the station is considered representative of the entire Northern California area in a unit of W/sq.m*2.065 per day.

Daily temperature, humidity, wind speed and direction, and sun illumination hours were also measured at the station.

Figure 3. Urban Land Surface Temperatures (°C) Time Series in North California in 2020 for the Morning Group (left) and Afternoon Group (right)





Figure 4. Urban Land Surface Temperatures (°C) Time Series in North California in 2019 for the Morning Group (Left) and Afternoon Group (right)



3. Analysis and Results

3.1 Multiple Regression Models with Dummy Variable

A “dummy variable” is a useful method of introducing a regression analysis contained in variables that are not conventionally measured on a numerical scale (Allison 2002). The use of dummy variables requires the imposition of additional constraints on the parameters of the regression equations if determinate estimates are to be obtained (Hardy 1993). In fact, the independent variables specified in a regression equation can include any combination of qualitative and quantitative predictors. For example, radiation flux correlated with surface temperature is commonly used in earlier research (Hossain and Takhar 1996; Santanello and Friedl 2003). Some research has attempted to use a regression model to explain the UHI effect by means of net radiation (Djen et al. 1994; Blankenstein and Kuttler 2004).

In this research, we derived a multi-variable regression from analyzing the traffic volume impact on the UHI effect, whereby the COVID-19 lockdown traffic control is included as the dummy variable. Defining the dummy variable allows us to capture the information of policy control in a categorization scheme and then to use the information in a standard regression estimation. When the COVID-19 lockdown variable is qualitative, we adopt a dummy variable that allows us to represent this policy information in a quantitative radiation-temperature model without imposing unrealistic measurement assumptions on the categorical variables. The logic of regression estimation remains the same: we are predicting conditional means on the dependent variable. We believe the COVID-19 lockdown, which limited the urban region’s traffic volume, influenced the UHI effect in quantity and intensity—as vehicle exhaust is one of the most important sources of greenhouse gas that traps the emitted thermal radiation more effectively. In the regression model, the COVID-19 lockdown is utilized as a dummy variable under two conditions: (1) to set the dummy variable of the regression equation to the percentage of the traffic reduction during the period that the COVID-19 lockdown is imposed; or (2) to set the dummy variable to one or 100% for those time points without the COVID-19 lockdown. In that case, the dummy variable analysis reveals both whether the COVID-19 lockdown effects are statistically significant and what the quantitative effects of the traffic lockdown are on the UHI effect.

3.2 Statistical Regression Model with Radiation, LST (MODIS), and Traffic Variation

The intensity of solar radiation varies with the time and weather conditions and naturally influences the intensity and spatial extent of the UHI. In previous studies, the relationship of the LST with the solar radiation flux has been modeled to depict urban heat dynamics (Kato and Yamaguchi 2005). Some studies have also attempted to explain urban surface temperature variation

by reference to solar radiation (Rizwan et al. 2008; Heat and Mitigation 2005) through a regression model. In this study, we use solar radiation to represent the natural effect of the sun on UHI dynamics.

Multivariate linear regression models were developed to analyze the variation of intensity of UHI in terms of mean temperature with solar radiation and traffic volume on the assumption that other factors that influence the heat environment are unchanged during our study period. According to the TIMS's traffic monitoring records for the six Bay Area counties, we define the UHI intensity using the mean LST over each single county, which was calculated and used as the UHI intensity in degrees Celsius. The mean value (intensity) for each county was then regressed with radiation including the COVID-19 lockdown dummy variable, which is expressed as:

$$T^{intensity} = A_0 + A_1 R^{solar} + A_2 D^{lockdown} + e_t \quad (1)$$

where $T^{intensity}$ is the dependent variable of UHI intensity for a ring road zone. R^{solar} and $D^{lockdown}$ are as previously defined, while in this model variable $D^{lockdown}$ explains the COVID-19 lockdown effect on the UHI intensity. A_0 , A_1 , and A_2 are coefficients to be estimated. e_t is an error term.

3.3 Statistical Analysis Results

The statistical model aims to examine the influence of traffic volume on UHI intensity. We acquired the LST from MODIS for “lockdown” in 2020, as well as for “no lockdown” in 2019 as the control group; we constructed the model that investigates the cloud-free days. We built this model to test the influence of the traffic volume for six different Bay Area counties (see Figure 1), that is, San Francisco County, Santa Clara County, San Mateo County, Marin County, Contra Costa County, and Alameda County. The mean LST value of each county was calculated from the MODIS thermal remote sensing data over the 2020 COVID-19 lockdown, as well as the same period in 2019 as the control group. Each group's LST temperature is regressed with solar radiation and the percentage of the traffic volume monitoring records.

Table 5. Regression Results for Modeling of UHI Intensity in the Mornings

County	Regression model	R^2
San Francisco	$T^{mean} = 0.026 \times R_{Solar} - 0.26 \times D^{lockdown} + 12.71$	0.297
Santa Clara	$T^{mean} = 0.049 \times R_{Solar} + 0.41 \times D^{lockdown} - 0.05$	0.598
San Mateo	$T^{mean} = 0.033 \times R_{Solar} - 0.89 \times D^{lockdown} + 3.94$	0.431
Marin	$T^{mean} = 0.035 \times R_{Solar} - 0.15 \times D^{lockdown} + 4.07$	0.451
Contra Costa	$T^{mean} = 0.043 \times R_{Solar} - 4.78 \times D^{lockdown} + 6.00$	0.493
Alameda	$T^{mean} = 0.045 \times R_{Solar} - 1.53 \times D^{lockdown} + 3.87$	0.561

Table 6. Regression Results for Modeling of UHI Intensity in the Afternoons

County	Regression model	R^2
San Francisco	$T^{mean} = 0.023 \times R_{Solar} - 0.31 \times D^{lockdown} + 15.23$	0.269
Santa Clara	$T^{mean} = 0.051 \times R_{Solar} + 0.36 \times D^{lockdown} + 3.62$	0.533
San Mateo	$T^{mean} = 0.032 \times R_{Solar} - 0.34 \times D^{lockdown} + 9.77$	0.385
Marin	$T^{mean} = 0.039 \times R_{Solar} - 2.94 \times D^{lockdown} + 6.82$	0.415
Contra Costa	$T^{mean} = 0.049 \times R_{Solar} - 7.16 \times D^{lockdown} + 8.06$	0.565
Alameda	$T^{mean} = 0.045 \times R_{Solar} - 1.96 \times D^{lockdown} + 7.83$	0.524

Tables 5 and 6 show the regression results for the morning and afternoon groups, respectively. Apparently, the multi-variable regression model fits a linear relationship between radiation, traffic variation, and UHI intensity. During the COVID-19 lockdown, the $D^{lockdown}$ displayed all negative effects for all counties except Santa Clara. For the morning group model, the $D^{lockdown}$ COVID-19 lockdown traffic reduction led to 0.263°C , 0.887°C , 0.146°C , 4.779°C , and 1.53°C reduction of the land surface temperature; meanwhile, for the afternoon group, the $D^{lockdown}$ COVID-19 lockdown traffic reduction led to 0.308°C , 0.34°C , 2.941°C , 7.16°C , and 1.96°C reduction of the land surface temperature. The magnitude of the surface temperature reduction is consistent for the morning and afternoon groups.

Three counties on the west side of the Bay Area (San Francisco, San Mateo, and Marin) show a smaller temperature reduction, less than 1°C in terms of the LST temperature reduction. On the other hand, two counties on the east side of the Bay Area (Contra Costa and Alameda) show a larger temperature reduction, 4.78°C and 7.16°C for Contra Costa and 1.53°C and 1.96°C for Alameda, respectively. This might be due to the different microclimates on each side of the Bay (Ekstrom and Moser 2014). The East Bay usually gets colder and wetter weather than the peninsula, due to various levels of the influence of the ocean (Keeley 2005).

An outlier is Santa Clara County in the South Bay, which results in a positive impact on the deduction of traffic. That is, the traffic reduction during the lockdown actually caused a land surface temperature increase compared to the control group without the lockdown. This trend is also consistently presented in both morning and afternoon groups. The reason for this phenomenon needs to be further investigated in future research. Besides the location of Santa Clara in the south Bay Area, another factor that should be considered is that Santa Clara is the most populous county in the San Francisco Bay Area and in Northern California as a whole. The lockdown policy implementation might also cause other anthropogenic heat generation from people staying home.

4. Discussion and Conclusions

In this study, we derived a multi-variable regression model based on the UHI intensity from remote sensing LST and solar radiation data during 2019 and 2020 with the COVID-19 lockdown. The lockdown was included as a dummy variable in the statistical model to quantitatively evaluate traffic reduction on the UHI intensity. During the COVID-19 lockdown, the traffic volume was regulated and reduced by 30–50% according to the UC Berkeley TIMS traffic dataset. Statistical models have been constructed using a dummy variable to indicate the COVID-19 lockdown. The results of the analysis suggest that a decrease in urban traffic volume can significantly reduce the intensity of the UHI. When the COVID-19 lockdown cut traffic volume, UHI intensity was reduced by an average of 1.52°C and 2.54°C for the morning and afternoon, respectively. This UHI reduction brought about by the COVID-19 lockdown was more effective in the East Bay Area than in the West Peninsula. The South Bay showed a contrary pattern for the LST reduction. This study is the first attempt to quantify the impact of traffic on the UHI, providing an important milestone for quantifying the contribution of traffic volume as a significant anthropogenic factor to the UHI and, hence, climate change.

A comparison was also made between the morning and the afternoon groups. Overall, the results show that the afternoon group has a greater decreased temperature and a larger extent than the morning group. Moreover, the morning group has a higher average r^2 value than the afternoon group. For the UHI intensity model, the morning group has a lower average r^2 value than the afternoon group. For the extent-based model, traffic impacts on UHI afternoon have a smaller r^2 value than the morning model. To explain this, the time of the morning group (10:30 AM) is close to the morning rush hour, while the time of the afternoon group (1:30 PM) is removed from rush hour. Therefore, the morning group could be influenced more by the traffic factor because the larger traffic volume on the road could cause a more significant expansion of the UHI extent. On the other hand, the intensity-based model could be more influenced by solar radiation since we measure the mean temperature for each zone. The solar radiation absorbed by the urban surface around 1:30 PM is remarkably stronger than around 10:30 AM. The reduced traffic volume's effects on the UHI could be diminished by the much stronger radiation absorbed by the Earth.

Other factors have also been taken into consideration, such as wind speed and water bodies. Including the COVID-19 lockdown as the dummy variable provides the estimation of UHI intensity changes caused by traffic. It has been demonstrated that the greenhouse gas emitted by vehicle exhaust is one of the most important factors that causes climate change, but it is still unclear how vehicles contribute to urban climate change (Ren et al. 2015; Amato et al. 2014; Czarnecka and Nidzgorska-Lencewicz 2014). This research only discussed climate change in the context of vehicular traffic flow. Detailed factors such as vehicle exhaust, gas emissions such as carbon-based molecules or water vapor (another potent greenhouse gas), particulates, engine heat, or emissivity

change by the vehicle metal body are not explored in this study. The radiation data used in this study is total solar radiation from the meteorology station. For future research, we will try to access the net radiation to further improve the energy budget model.

Bibliography

- Allison. 2002. "Bias in Fixed-Effects Cox Regression with Dummy Variables." *Manuscript, Department of Sociology, University.* <https://statisticalhorizons.com/wp-content/uploads/2012/01/BiasFE-Cox.pdf>.
- Amato, Fulvio, Flemming R. Cassee, Hugo A. C. Denier van der Gon, Robert Gehrig, Mats Gustafsson, Wolfgang Hafner, Roy M. Harrison, et al. 2014. "Urban Air Quality: The Challenge of Traffic Non-Exhaust Emissions." *Journal of Hazardous Materials* 275: 31–36.
- Arora, Shefali, Kanchan Deoli Bhaukhandi, and Pankaj Kumar Mishra. 2020. "Coronavirus Lockdown Helped the Environment to Bounce Back." *The Science of the Total Environment* 742 (November): 140573.
- Blankenstein, Simone, and Wilhelm Kuttler. 2004. "Impact of Street Geometry on Downward Longwave Radiation and Air Temperature in an Urban Environment." *Meteorologische Zeitschrift* 13 (5): 373–79.
- Cassidy, Megan, Tatiana Sanchez, Michael Cabanatuan, and John King. 2020. "In Sweeping New Measures, California Calls on Seniors to Stay Home, Bars to Close and Restaurants to Reduce Seating." *Chronicle*, March 16, 2020. <https://www.sfchronicle.com/bayarea/article/In-sweeping-new-measures-California-calls-on-15133081.php>.
- Czarnecka, Małgorzata, and Jadwiga Nidzgorska-Lencewicz. 2014. "Intensity of Urban Heat Island and Air Quality in Gdańsk during 2010 Heat Wave." *Journal of Environment Studies* 23 (2): 329–40.
- Djen, Chow Shu, Zheng Jingchun, and Wu Lin. 1994. "Solar Radiation and Surface Temperature in Shanghai City and Their Relation to Urban Heat Island Intensity." *Atmospheric Environment* 28 (12): 2119–27.
- Ekstrom, Julia A., and Susanne C. Moser. 2014. "Identifying and Overcoming Barriers in Urban Climate Adaptation: Case Study Findings from the San Francisco Bay Area, California, USA." *Urban Climate* 9 (September): 54–74.
- Gallo, Kevin P., and Timothy W. Owen. 1999. "Satellite-Based Adjustments for the Urban Heat Island Temperature Bias." *Journal of Applied Meteorology* 38 (6): 806–13.
- Gorsevski, V., Taha, H., Quattrochi, D., & Luvall, J. (1998). Air pollution prevention through urban heat island mitigation: An update on the Urban Heat Island Pilot Project. *Proceedings of the ACEEE Summer Study, Asilomar, CA*, 9, 23-32.

- Hardy, Melissa A. 1993. *Regression with Dummy Variables*. Vol. 93. Sage.
- Heat, Urban, and Island Mitigation. 2005. "Energy Saving Potentials and Air Quality Benefits of." *Solar Energy*, 1–19.
- Hinkel, Kenneth M., Frederick E. Nelson, Anna E. Klene, and Julianne H. Bell. 2003. "The Urban Heat Island in Winter at Barrow, Alaska." *International Journal of Climatology* 23 (15): 1889–1905.
- Hossain, M. a., and H. S. Takhar. 1996. "Radiation Effect on Mixed Convection along a Vertical Plate with Uniform Surface Temperature." *Heat and Mass Transfer* 31 (4): 243–48.
- Huang, Bo, Jionghua Wang, Jixuan Cai, Shiqi Yao, Paul Kay Sheung Chan, Tony Hong Wing Tam, Ying Yi Hong, et al. 2021. "Integrated Vaccination and Physical Distancing Interventions to Prevent Future COVID-19 Waves in Chinese Cities." *Nature Human Behaviour*. <https://doi.org/10.1038/s41562-021-01063-2>.
- Huang, Qunfang, and Yuqi Lu. 2015. "The Effect of Urban Heat Island on Climate Warming in the Yangtze River Delta Urban Agglomeration in China." *International Journal of Environmental Research and Public Health* 12 (8): 8773–89.
- Jeganathan, C., N. A. S. Hamm, S. Mukherjee, P. M. Atkinson, P. L. N. Raju, and V. K. Dadhwal. 2011. "Evaluating a Thermal Image Sharpening Model over a Mixed Agricultural Landscape in India." *International Journal of Applied Earth Observation and Geoinformation* 13 (2): 178–91.
- Kalnay, E., and M. Cal. 2003. "Impact of Urbanization and Land-Use Change on Climate." *Nature* 423: 528–531.
- Kato, Soushi, and Yasushi Yamaguchi. 2005. "Analysis of Urban Heat-Island Effect Using ASTER and ETM+ Data: Separation of Anthropogenic Heat Discharge and Natural Heat Radiation from Sensible Heat Flux." *Remote Sensing of Environment* 99 (1-2): 44–54.
- Keeley, Jon E. 2005. "Fire History of the San Francisco East Bay Region and Implications for Landscape Patterns." *International Journal of Wildland Fire* 14 (3): 285–96.
- Lin, Rong-Gong, II. 2020. "How the Bay Area Coronavirus 'Shelter in Place' Order Works." *Los Angeles Times*, March 16, 2020. <https://www.latimes.com/california/story/2020-03-16/how-the-san-francisco-bay-areas-coronavirus-shelter-in-place-order-works>.
- Li, Ying Ying, Hao Zhang, and Wolfgang Kainz. 2012. "Monitoring Patterns of Urban Heat Islands of the Fast-Growing Shanghai Metropolis, China: Using Time-Series of Landsat

- TM/ETM+ Data.” *International Journal of Applied Earth Observation and Geoinformation* 19 (1): 127–38.
- Oke, T. R. 1981. “Canyon Geometry and the Nocturnal Urban Heat Island: Comparison of Scale Model and Field Observations.” *Journal of Climatology* 1 (3): 237–54.
- Oke, T. R., R. A. Spronken-Smith, E. Jáuregui, and C. S. B. Grimmond. 1999. “The Energy Balance of Central Mexico City during the Dry Season.” *Atmospheric Environment* 33 (24–25): 3919–30.
- Osman, Taner, Trevor Thomas, Andrew Mondschein, and Brian D. Taylor. 2019. “Does Traffic Congestion Influence the Location of New Business Establishments? An Analysis of the San Francisco Bay Area.” *Urban Studies* 56 (5): 1026–41.
- Ren, G. Y., Z. Y. Chu, Z. H. Chen, and Y. Y. Ren. 2007. “Implications of Temporal Change in Urban Heat Island Intensity Observed at Beijing and Wuhan Stations.” *Geophysical Research Letters* 34 (5). <https://doi.org/10.1029/2006GL027927>.
- Ren, Yuyu, David Parker, Guoyu Ren, and Robert Dunn. 2015. “Tempo-Spatial Characteristics of Sub-Daily Temperature Trends in Mainland China.” *Climate Dynamics*, 2–13.
- Rizwan, Ahmed Memon, Leung Y. C. Dennis, and Chunho Liu. 2008. “A Review on the Generation, Determination and Mitigation of Urban Heat Island.” *Journal of Environmental Sciences* 20 (1): 120–28.
- Santanello, Joseph A., Jr, and Mark A. Friedl. 2003. “Diurnal Covariation in Soil Heat Flux and Net Radiation.” *Journal of Applied Meteorology* 42 (6): 851–62.
- Sentlinger, Gabriel I., Simon J. Hook, and Bernard Laval. 2008. “Sub-Pixel Water Temperature Estimation from Thermal-Infrared Imagery Using Vectorized Lake Features.” *Remote Sensing of Environment* 112 (4): 1678–88.
- State of California. 2020a. “Governor Newsom Declares State of Emergency to Help State Prepare for Broader Spread of COVID-19.” California Governor. March 5, 2020. <https://www.gov.ca.gov/2020/03/04/governor-newsom-declares-state-of-emergency-to-help-state-prepare-for-broader-spread-of-covid-19/>.
- . 2020b. “Governor Newsom Signs Executive Order Ensuring State Funding for Schools Even in Event of Physical Closure.” California Governor. March 14, 2020. <https://www.gov.ca.gov/2020/03/13/governor-newsom-signs-executive-order-ensuring-state-funding-for-schools-even-in-event-of-physical-closure/>.

- . 2020c. “Governor Gavin Newsom Issues Stay at Home Order.” California Governor. March 20, 2020. <https://www.gov.ca.gov/2020/03/19/governor-gavin-newsom-issues-stay-at-home-order/>.
- Streutker, David R. 2002. “A Remote Sensing Study of the Urban Heat Island of Houston, Texas.” *International Journal of Remote Sensing* 23 (13): 2595–2608.
- Tian, Huaiyu, Yonghong Liu, Yidan Li, Chieh-Hsi Wu, Bin Chen, Moritz UG Kraemer, Bingying Li et al. “An Investigation of Transmission Control Measures during the First 50 Days of the COVID-19 Epidemic in China.” *Science* 368, no. 6491 (2020): 638-642.
- Tran, Hung, Daisuke Uchihama, Shiro Ochi, and Yoshifumi Yasuoka. 2006. “Assessment with Satellite Data of the Urban Heat Island Effects in Asian Mega Cities.” *International Journal of Applied Earth Observation and Geoinformation* 8 (1): 34–48.
- Us Epa, Oar. n.d. “Inventory of U.S. Greenhouse Gas Emissions and Sinks.”
- Voogt, J. A., and T. R. Oke. 2003. “Thermal Remote Sensing of Urban Climates.” *Remote Sensing of Environment* 86 (3): 370–84.
- Wan, Zhengming. 2014. “New Refinements and Validation of the Collection-6 MODIS Land-Surface Temperature/emissivity Product.” *Remote Sensing of Environment* 140: 36–45.
- Weng, Qihao, Dengsheng Lu, and Jacquelyn Schubring. 2004. “Estimation of Land Surface Temperature-Vegetation Abundance Relationship for Urban Heat Island Studies.” *Remote Sensing of Environment* 89 (4): 467–83.
- Zhao, Lei, Xuhui Lee, Ronald B. Smith, and Keith Oleson. 2014. “Strong Contributions of Local Background Climate to Urban Heat Islands.” *Nature* 511 (7508): 216–19.

About the Authors

My-Thu Tran, MA

My-Thu Tran is a PhD student in the Geography Joint Doctoral Program offered by San Diego State University and the University of California, Santa Barbara. She has a B.A. in Geography Teacher Education from Vietnam, and an M.A. in Geography from San José State University. Her research interests include using GIS, Remote Sensing to study environmental problems, UAV/Drone Mapping, Social-Ecological Systems, Cartography, and Geovisualization.

Bo Yang, PhD

Dr. Bo Yang is an Assistant Professor in the Department of Urban & Regional Planning at San José State University and a Research Associate at the Mineta Transportation Institute. He has an interdisciplinary education background including a B.S. in Applied Mathematics, an M.S. in Computer Science, and Ph.D. in Geography. Dr. Yang's research interests include GIS, remote sensing, spatial statistics, UAV/drone mapping for coastal science, urban heat effect, transportation impact on urban environment, and human-environment interaction. He has published about 40 papers in peer-reviewed journals such as *Remote Sensing of Environment*, *International Journal of Geographical Information Science*, and *Geophysical Research Letters*.

MTI FOUNDER

Hon. Norman Y. Mineta

MTI BOARD OF TRUSTEES

Founder, Honorable

Norman Mineta***

Secretary (ret.),
US Department of Transportation

Chair, Will Kempton

Retired Transportation Executive

Vice Chair, Jeff Morales

Managing Principal
InfraStrategies, LLC

Executive Director, Karen Philbrick, PhD*

Mineta Transportation Institute
San José State University

Winsome Bowen

President
Authentic Execution, Corp

David Castagnetti

Partner
Dentons Global Advisors

Maria Cino

Vice President
America & U.S. Government
Relations Hewlett-Packard Enterprise

Grace Crunican**

Owner
Crunican LLC

Donna DeMartino

Retired Transportation Executive

John Flaherty

Senior Fellow
Silicon Valley American
Leadership Forum

Stephen J. Gardner*

President & CEO
Amtrak

Rose Guilbault

Board Member
San Mateo County
Transit District (SamTrans)

Kyle Christina Holland

Senior Director,
Special Projects, TAP Technologies,
Los Angeles County Metropolitan
Transportation Authority (LA Metro)

Ian Jefferies*

President & CEO
Association of American Railroads

Diane Woodend Jones

Principal & Chair of Board
Lea + Elliott, Inc.

Therese McMillan

Retired Executive Director
Metropolitan Transportation
Commission (MTC)

Abbas Mohaddes

CEO
Econolite Group Inc.

Stephen Morrissey

Vice President – Regulatory and
Policy
United Airlines

Toks Omishakin*

Secretary
California State Transportation
Agency (CALSTA)

Marco Pagani, PhD*

Interim Dean
Lucas College and
Graduate School of Business
San José State University

April Rai

President & CEO
Conference of Minority
Transportation Officials (COMTO)

Greg Regan*

President
Transportation Trades Department,
AFL-CIO

Paul Skoutelas*

President & CEO
American Public Transportation
Association (APTA)

Kimberly Slaughter

CEO
Systra USA

Tony Tavares*

Director
California Department of
Transportation (Caltrans)

Jim Tymon*

Executive Director
American Association of
State Highway and Transportation
Officials (AASHTO)

* = Ex-Officio

** = Past Chair, Board of Trustees

*** = Deceased

Directors

Karen Philbrick, PhD

Executive Director

Hilary Nixon, PhD

Deputy Executive Director

Asha Weinstein Agrawal, PhD

Education Director

National Transportation Finance
Center Director

Brian Michael Jenkins

National Transportation Security
Center Director

